

## 7.013 Central Dogma Section-Replication/Transcription/Translation

### Part 1

Shown below is a 240 base pair segment of a modified version of an *E. coli* gene. It includes the promoter and the first codons of the gene.

The sequences of both strands of the DNA duplex are shown in Figure 1. The top strand reads 5' to 3' left to right (1 to 240); the bottom, complimentary, strand reads 5' to 3' right to left (240 to 1).

```

5' -ATGTGAGTTAGCTCACTCATTAGGCACCCCAGGCTTACACTTATGCTTCCGGCTCGTA
  1 -----+-----+-----+-----+-----+-----+-----+ 60
3' -TACACTCAATCGAGTGAGTAATCCGTGGGGTCCGAAATGTGAATACGAAGGCCGAGCAT

61 TGTTGTGTGGAATTGTGAGCGGATAACAATGTCACACAGGAAACAGCTAAGACCATGTT
-----+-----+-----+-----d-----e-----f-----c-----+ 120
ACAACACACCTTAACACTCGCCTATTGTTACAGTGTGTCCTTGTGATTCTGGTACAAA

121 ACGCCAAGCTCGGAATTAACCCTCACTAAAGGAACAAAAGCTGGAGCTCCACCGCGGTG
-----+-----+-----+-----g-----+-----+-----+-----+ 180
TGCGGTTCGAGCCTTAATTGGGAGTGATTCCCTTGTGACCTCGAGGTGGCGCAC

181 GCGGCCGCTCTAGAACTAGTGGATCCCCGGGCTGCAGGCATTGATATCAAGCTTATCG-3'
-----+-----+-----+-----+-----+-----+-----+-----+x-----+ 240
CGCCGGCGAGATCTGATCACCTAGGGGGCCGACGTCCGTAAGCTATAGTTCGAATAGC-5'

```

a) RNA polymerase binds to the sequence (underlined above) and shown below.

```

5' -...CTTACACTT...14bp space....TATGTTG...-3'
      |||||||||                                |||||
3' -...GAAATGTGAA...14bp space....ATACAAC...-5'

```

Once bound, RNA polymerase starts making mRNA at the 6th nucleotide after the end of the sequence (at position **a**, also underlined above). Synthesis of the mRNA proceeds 5' to 3' left to right on the sequence above. Write the sequence of the first 10 nucleotides of the resulting mRNA.

b) What are the first five amino acids of the resulting protein?

c) Does translation terminate at the underlined TAA at position 108 (**c**, bold)? Why or why not?

d) How would your answer to b) change if the C/G base pair at position 95 (**d**, bold) was deleted?

e) How would your answer to b) change if an A/T base pair were added between 98 & 99 (**e**, bold)?

f) How would your answer to b) change if the A/T base pair at position 103 (**f**, bold) were changed to G/C?

g) Give a single base change (substitution, deletion, or addition of a single base and its partner on the other strand) that would cause termination of the polypeptide chain at TAA codon 147 (**g**, underlined).

h) Give a nonsense mutation (codon --> stop codon).

i) Give a missense mutation (codon --> codon for another amino acid).

j) Give a silent mutation (codon ---> codon for the same amino acid).

## The Genetic Code

	U		C		A		G		
U	UUU	phe	UCU	ser	UAU	tyr	UGU	cys	U
	UUC	phe	UCC	ser	UAC	tyr	UGC	cys	C
	UUA	leu	UCA	ser	UAA	STOP	UGA	STOP	A
	UUG	leu	UCG	ser	UAG	STOP	UGG	trp	G
C	CUU	leu	CCU	pro	CAU	his	CGU	arg	U
	CUC	leu	CCC	pro	CAC	his	CGC	arg	C
	CUA	leu	CCA	pro	CAA	gln	CGA	arg	A
	CUG	leu	CCG	pro	CAG	gln	CGG	arg	G
A	AUU	ile	ACU	thr	AAU	asn	AGU	ser	U
	AUC	ile	ACC	thr	AAC	asn	AGC	ser	C
	AUA	ile	ACA	thr	AAA	lys	AGA	arg	A
	AUG	met	ACG	thr	AAG	lys	AGG	arg	G
G	GUU	val	GCU	ala	GAU	asp	GGU	gly	U
	GUC	val	GCC	ala	GAC	asp	GGC	gly	C
	GUU	val	GCA	ala	GAA	glu	GGA	gly	A
	GUG	val	GCG	ala	GAG	glu	GGG	gly	G

## Part 2

Given the sequences on these next two pages, your goal is to draw a schematic of the *con-6* gene. Determine the transcription start and stop sites, start and stop codons, untranslated regions, introns and exons.

5' -CGGTGAATAAACATGACGGTGCTGTCAGCATCATCGATAGTAGGAGCGAACAAACAAACCTAACATCGGATTGCA  
1 +-----+-----+-----+-----+-----+-----+-----+-----+  
3' -GCCACTTATTATGCAGTACTGCCACGACAGTCGTAAGCTATCCATCCTCGCTTGTGATTGACGCTAACGT  
  
GGACCGCGGGGCAGGATTGCTCCGGCTTTCATGACTTGTCAAGTGGATGACTGGATGGAAAAGTAGAAGGTCATG  
81 +-----+-----+-----+-----+-----+-----+-----+-----+  
CCTGGCGCCCCGCTTAACGAGGCCGACAAAGTACTGAACAGTCACCCACTGAACCTACCTTTCATCTCCAGTC  
  
GGGTGGCCAACTTGGCGAGAAAAGGTATATAAAGGTCTTGTCCCCTCAACTGCCTCAAAAGTAGGTATTCCAGCAG  
161 +-----+-----+-----+-----+-----+-----+-----+-----+  
CCCACCGGGTGAACCGCTCTTCCATATATTCCAGAGAACGGAGGTAGTGACGGAGTTTCATCCATAAGGTCGTC  
  
ATCAGACAACCAAACAAACACACTTCATTCCAAGACATCACTCACAAACAACCAACCTTCCAATCCAACCACAAACA  
241 +-----+-----+-----+-----+-----+-----+-----+-----+  
TAGTCTGTGGTTTTGTGAAGTAAGGGTTCTGTAGTGAGTGTGTTGGTTGAGAAGGTTAGGTTGGTGTGTTG  
  
AAAATCAGCCAATATGTCGACTTCAGAGAACAAAGAACCCCCAACACGTCCTTGGCGGACACAAGGCCACCCCTCACAAACC  
321 +-----+-----+-----+-----+-----+-----+-----+-----+  
TTTAGTCGGTTATACAGGCTGAAGCTCTGTTGGGTTGGCAGGAACCGCCTGTGTTCCGGTGGAAAGTGTGG  
  
CTAGTATGTATCCTCCTCAGAGCCTCCAGCTTCCGTCGACATTCCCTTTTCATATTACATCCATCCAAG  
401 +-----+-----+-----+-----+-----+-----+-----+-----+  
GATCATAACATAGGAGGAGTCTGGAGGTGAAGGCAGGGAGCAGCTGTAAAGGAAAAAAAGTATAATGTAGGTAGGTC  
  
TCCCACAATCCATGACTAACAGAAATATCACAGATGTTCCGAGGAAGCCAAGGAGCACTCCAAGAAGGTGTTGAAAA  
481 +-----+-----+-----+-----+-----+-----+-----+-----+  
AGGGTGTAGGTACTGATTGGTCTTATAGTGTCTAACAGGCTCCTCGTGGTCTTCCACGAACTTT  
  
CGCCGGCGAGGCCTACGATGAGTCTTCTTCGGCAAGACCACCGACGGCGACAAGAACCCGGAAACGTTGCGG  
561 +-----+-----+-----+-----+-----+-----+-----+-----+  
CGGGCCGCTCCGGATGCTACTCAGAAGAACCCGTTCTGGTGGCTGCTGCCGCTTCTGGGGCCTTGCAACGCC  
  
GAGGATACAAGGCCACCCCTAACAAACCCAAAGTGTCCGACGAGGCCAAGGAGCACGCCAAGAAGAAGCTTGACGGCCTC  
641 +-----+-----+-----+-----+-----+-----+-----+-----+  
CTCCTATGTTCCGGTGGAGTTGTTGGGTTACAGGCTGCTCCCTCGTGGCTTCTCGAACGTT  
  
GAGTAAGCTCAGAGTCACGAAAGAACCATTCGACGAGGGAAAGCACGGGTTATCTCGTCGAAACATGGGCTGGTTA  
721 +-----+-----+-----+-----+-----+-----+-----+-----+  
CTCATTGAGTCTCAAGTGCTTCTTGGTAAGCTGCTCCCTCGTGGCTTCTCGAACGTT  
  
ATGCAAATGCATAATGGGAGGATAATGAATCATGAGGTGTACGATATGGACGATATTGACGGATCTTAATTGAC  
801 +-----+-----+-----+-----+-----+-----+-----+-----+  
TACGTTACGTATTACCCCTCTTACTTAGTACTCCACATGCTATAACTGCCTAGAATTAAACTACTGT  
  
GTAATGAAATCACACCATAGT-3'  
881 +-----+-----+-----+ 901  
CATTACTTGTGGTATCA-5'


**Figure 1:** Genomic DNA sequence of *con-6* gene from *Neurospora crassa*. The sequence of both strands (5' to 3' on top, 3' to 5' on bottom) is shown above with nucleotides numbered 1 to 901. The dashed lines are interrupted every tenth nucleotide with a "+".

GENOMIC DNA:	251	CAAAACAAACACACTTCATCCCAAGACATCACTCACAAACAACCAACCTC	300
mRNA:	1	@AAACAAACACACUUCAUUCCAAGACAUCAUCACAAACAACCAACCUC	49
GENOMIC DNA:	301	TTCCAATCCAACCACAAACAAAATCAGCCAATATGTCCGACTTCGAGAA	350
mRNA:	50	UUCCAAUCCAACCACAAACAAAAUCAGCCAAUAUGUCCGACUUCGAGAA	99
GENOMIC DNA:	351	CAAGAACCCCACAACGTCCCTGGCGACACAAGGCCACCCCTCACAAACC	400
mRNA:	100	CAAGAACCCCACAACGUCCUUGGCGGACACAAGGCCACCCUUCACAACC	149
GENOMIC DNA:	401	CTAGTATGTATCCTCCTCAGAGCCTCAGCTCCGTCCCGTACATT	450
mRNA:	150	CUA.....	152
GENOMIC DNA:	451	TCCTTTTTTCATATTACATCCATCCAAGTCCCACAATCCATGACTAAC	500
mRNA:		.....	
GENOMIC DNA:	501	CAGAAATATCACAGATGTTCCGAGGAAGCCAAGGAGCACTCCAAGAAGG	550
mRNA:	153	.....AUGUUUCCGAGGAAGCCAAGGAGCACUCCAAGAAGG	188
GENOMIC DNA:	551	TGCTTGAAAACGCCGGCGAGGCCTACGATGAGTCTTCTCGGGCAAGACC	600
mRNA:	189	UGCUUGAAAACGCCGGCGAGGCCUACGAUGAGUCUUCUUCGGGCAAGACC	238
GENOMIC DNA:	601	ACCACCGACGACGGCGACAAGAACCCGGAAACGTTGGGGAGGATAACAA	650
mRNA:	240	ACCACCGACGACGGCGACAAGAACCCGGAAACGUUGCGGGAGGAUACAA	288
GENOMIC DNA:	651	GGCCACCCCTCAACAACCCAAAGTGTCCGACGAGGCCAAGGAGCACGCCA	700
mRNA:	289	GGCCACCCUCAACAACCCAAAGUGUCCGACGAGGCCAAGGAGCACGCCA	338
GENOMIC DNA:	701	AGAAGAAGCTTGACGGCTCGAGTAAGCTCAGAGTCACGAAAGAACCAT	750
mRNA:	339	AGAAGAAGCUUGACGGCCUCGAGUAAGCUCAGAGUUCACGAAAGAACAU	388
GENOMIC DNA:	751	TCGACGAGGGGAAGCACGGGTTATCTCGTTGAAACATGGCCTGGTTA	800
mRNA:	389	UCGACGAGGGGAAGCACGGGUUAUCUCGUUCGAAACAUAGGGCCUGGUUA	438
GENOMIC DNA:	801	ATGCAAATGCATAATGGGGAGGATAATGAATCATGAGGTGTACGATATGG	850
mRNA:	439	AUGCAAAUGCAUAUUGGGAGGAUAUGAAUCAUGAGGUACGAU AUGG	488
GENOMIC DNA:	851	ACGATATTGACGGATCTTAATTGATGACAGTAATGAAATCACACCATAG	900
mRNA:	489	ACGAUAUUGACGGAUCUUUUUGAAAAAAAAAAAAAAA 538	

Figure 2: Sequence alignment of *con-6* genomic DNA and mRNA sequences. The top line of each pair of sequences is the sequence of *con-6* genomic DNA. The genomic DNA nucleotides are numbered as in figure 1. The bottom line is the sequence of a *con-6* mRNA isolated from *Neurospora crassa*. The nucleotide numbers of the mRNA begin at the 5' end with #1, and end with #539 at the 3'end. Vertical dashes indicate nucleotides identical in both sequences. Dots indicate nucleotides in the genomic sequence that are not found in the mRNA sequence. (@ represents 5' G-cap)

## Part 2 continued

Given the previous figures draw a schematic of the *con-6* gene below. Include the transcription start and stop sites, start and stop codons, untranslated regions, introns and exons.



### The Genetic Code

	U	C	A	G	
U	UUU phe UUC phe UUA leu UUG leu	UCU ser UCC ser UCA ser UCG ser	UAU tyr UAC tyr UAA STOP UAG STOP	UGU cys UGC cys UGA STOP UGG trp	U C A G
C	CUU leu CUC leu CUA leu CUG leu	CCU pro CCC pro CCA pro CCG pro	CAU his CAC his CAA gln CAG gln	CGU arg CGC arg CGA arg CGG arg	U C A G
A	AUU ile AUC ile AUA ile AUG met	ACU thr ACC thr ACA thr ACG thr	AAU asn AAC asn AAA lys AAG lys	AGU ser AGC ser AGA arg AGG arg	U C A G
G	GUU val GUC val GUA val GUG val	GCU ala GCC ala GCA ala GCG ala	GAU asp GAC asp GAA glu GAG glu	GGU gly GGC gly GGA gly GGG gly	U C A G