
## **Lab #7 Electrophoresis**

# **Experiment #1**

#### **Paper Chromatography**



You are given four types of paper. Cut them up with scissors.


## **Paper Chromatography**

Oil Alcohol water



You are given three types of solvents. Pour them into weighting dishes.

#### **Paper Chromatography**




Dip the paper strips into black ink. Use capillary action to separate the color.


## **Experiment #2**

## **Electrophoresis Setup**

Agarose Gel

**Electrophoresis Apparatus** 





A commercial electrophoresis setup is about 600 dollars.

## **Electrophoresis Result**







Photo courtesy of PNNL - Pacific Nortwest National Laboratory on Wikimedia Commons.

You can use it for DNA tests or color separation.

#### **Build Your Electrophoresis Setup (< \$5)**



You are going to build your own electrophoresis apparatus for less than 5 dollars.



Gel: Mix 1 g of Agarose with 100 mL of water.



Pour the gel into a medium size petri dish (10 cm in diameter) and place a comb into it on one end. You should have at least 5 wells.



Heat it up with a microwave for 60 sec. It should start bubbling.



Let the gel cool and solidify.



Use double-sided tape to stick the medium petri dish cover onto the center of a large petri dish (15 cm in diameter). Use two strips of copper tape as electrodes.




Mix water with baking soda. Use it as buffer.




Mix food coloring into color black



Use pipet tip to load your sample into the well of the gel.



Connect your setup with power supply or batteries.



You will start seeing bubbles near the electrodes.



After 30-60 mins, you can see color separation.

MIT OpenCourseWare http://ocw.mit.edu

6.S079 Nanomaker Spring 2013

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.