

Social Network Analysis of the Planetary Data System

Phase II Presentation

Kate Martin
Mark Avnet

April 25, 2006

ESD.342
Advanced System Architecture

Overview

1. Bipartite Networks
2. Basic Author 1-Mode Projection
3. PDS Node 1-Mode Projection
4. Instrument Host Author 1-Mode
5. Conclusions and Next Steps

Planetary Data System

PDS nodes	9
Datasets	1046
Authors	439
Instrument hosts	103

NODES/SUBNODES/DATA NODES
Function





Image courtesy of NASA.

Bipartite Networks of the Planetary Data System



Courtesy of National Academy of Sciences, U.S.A. Used with permission. Source: Newman, M. E., D. J. Watts, and S. H. Strogatz. "Random graph models of social networks." *Proc Natl Acad Sci* 99, (2002): 2566-72. (c) National Academy of Sciences, U.S.A.

Author single mode network

Nodes: Authors & Edges: Datasets

n	m	mean degree	median degree	average path length	C	r
439	6484	15	6	2.8	0.74	0.96
<i>Rough lit review of scientific collaboration networks</i>		4 to 16		6	0.5	0.3


M.E.J. Newman (2001), "Scientific Collaboration Networks. I. Network Construction and Fundamental Results," *Phys.Rev.E*, **64**

— (2001) "Scientific Collaboration Networks. II. Shortest Paths, Weighted Networks, and Centrality," *Phys.Rev.E*, **64**


Author single mode network

Nodes: Authors & Edges: Datasets


Degree Distribution



Cumulative Degree Distribution




Partition of Author Network



Author single mode network

Nodes: Authors & Edges: Datasets



Girvan, M. and M.E.J. Newman (2001), "Community Structure in Social and Biological Networks" *arXiv:cond-mat/0112110v1*

96 nodes

80% from Small Bodies Node

Instruments: 10% from NEAR, 10% from PUBLIT


Small Bodies Node

clustering coefficient

$C = 0.77$

Author single mode network

Nodes: Authors & Edges: Datasets




110 nodes

37% from Atmospheres, 29% from Small Bodies Node,
32% from Rings -- Instruments: 33% from HST

clustering coefficient
 $C = 0.90$


PDS Nodes Bipartite Network

Links Between Nodes and Authors





PDS single mode network

Nodes: PDS nodes & Edges: Authors (Point Betweenness)




PDS single mode network

Nodes: PDS nodes & Edges: Authors



Author single mode network



Nodes: Authors & Edges: Instrument Hosts



Component	Nodes
1	413
2	3
3	2
4	3
5	1
6	1
7	1
8	1
9	2
10	1
11	2
12	2
13	1
14	5
15	1

Author single mode network

Nodes: Authors & Edges: Instrument Hosts



Some Next Steps

Bipartite-Specific Data Analysis

1. Scaling Factor Analysis
2. Singular Value Decomposition

1-Mode Data Analysis

1. Degree Distributions
2. Compare Related Degree Correlations
3. Clustering Coefficients for all 1-Mode Networks
4. More Detailed Analysis of Community Structure
5. Hierarchies and Cliques

Political Forces

Understand mapping of politics/funding to PDS network analysis