


Delivery of Molecular and Cellular Medicine to Tumors

Vascular Transport
(Lecture I)

Angiogenesis &
Microcirculation
(Lecture I)

Interstitial and Lymphatic Transport
(Lecture II)

Vascular
Normalization
(Lecture II)



DELIVERY OF MOLECULAR MEDICINE TO TUMORS

Lecture II: Interstitial and Lymphatic Transport

OVERVIEW

R.K. Jain, "Transport of Macromolecules in the Tumor Interstitium: A Review," Cancer Research, 3038- 47:3050 (1987).

R.K. Jain, "1996 Landis Award Lecture: Delivery of Molecular and Cellular Medicine to Solid Tumors," Microcirculation, 4:1-23 (1997).

R.K. Jain, and B.T. Fenton, "Intra-Tumoral Lymphatic Vessels: A Case of Mistaken Identity or Malfunction?" JNCI, 94:417-421 (2002).

R.K. Jain, and T.P. Padera, "Prevention and Treatment of Lymphatic Metastasis by Anti-Lymphangiogenic Therapy," JNCI, 94:785-787 (2002).

Jussila L, Alitalo K, "Vascular growth factors and lymphangiogenesis," Physiology Reviews, 82:673-700 (2002).

R.K. Jain and T. P. Padera, "Lymphatics Make the Break," Science. 299: 209-210 (2003)

R.K. Jain, "Molecular Regulation of Vessel Maturation," Nature Medicine, 9:685-693 (2003).

R.K. Jain "Vascular and Interstitial Biology of Tumors," In: Clinical Oncology, 3rd Edition (Editors: M. Abeleff, J. Armitage, J. Niederhuber, M. Kastan and G. McKenna), Elsevier, Philadelphia, PA, Chapter 9, pp. 153-172 (2004).

Interstitial Transport

S.R. Chary and R.K. Jain, "Direct Measurement of Interstitial Diffusion and Convection of Albumin in Normal and Neoplastic Tissues Using Fluorescence Photo-bleaching," PNAS, 86:5385-5389 (1989).

D.A. Berk, F. Yuan, M. Leunig and R.K. Jain, "Direct *in vivo* Measurement of Targeted Binding in a Human Tumor Xenograft," PNAS, 94:1785-1790 (1997).

A. Pluen, P.A. Netti, R.K. Jain, and D.A. Berk, "Diffusion of Macromolecules in Agarose Gels: Comparison of Linear and Globular Configurations," Biophysical Journal, 77: 542-552 (1999).

P.A. Netti, D.A. Berk, M.A. Swartz, A.J. Grodzinsky and R.K. Jain, "Role of Extracellular Matrix Assembly in Interstitial Transport in Solid Tumors," Cancer Research, 60: 2497-2503 (2000).

A. Pluen, Y. Boucher, S. Ramanujan, T.D. McKee, T. Gohongi, E. di Tomaso, E.B. Brown, Y. Izumi, R.B. Campbell, D.A. Berk, R.K. Jain, "Role of Tumor-Host Interactions in Interstitial Diffusion of Macromolecules: Cranial vs. Subcutaneous tumors," PNAS, 98: 4628-4633 (2001).

C. de L. Davies, D.A. Berk, A. Pluen, and R.K. Jain, "Comparison of IgG Diffusion and Extracellular Matrix Composition in Rhabdomyosarcomas Grown in Mice Versus *In Vitro* as Spheroids Reveals the Role of Host Stromal Cells," BJC, 86:1639-1644 (2002)

S. Ramanujan, A. Pluen, R.D. McKee, E.B. Brown, Y. Boucher, R.K. Jain, "Diffusion and Convection in Collagen Gels: Implications for Transport in the Tumor Interstitium," Biophysical Journal, 83: 1650-1660 (2002).

E. Brown, T. McKee, E. di Tomaso, B. Seed, Y. Boucher, R.K. Jain, "Dynamic Imaging of Collagen and its Modulation in Tumors *in vivo* using Second Harmonic Generation," Nature Medicine, 9: 796-801 (2003).

G. Alexandrakis, E. B. Brown, R. T. Tong, T. D. McKee, R. B. Campbell, Y. Boucher and R. K. Jain, "Two-photon fluorescence correlation microscopy reveals the two-phase nature of transport in tumors," Nature Medicine, 10:203-207 (2004).

E. B. Brown, Y. Boucher, S. Nasser, and R. K. Jain, "Measurement of Macromolecular Diffusion Coefficients in Human Tumors", Microvascular Research, 67 231-236 (2004).

Lymphatic Transport

- A. Leu, D.A. Berk, F. Yuan and R.K. Jain, "Flow Velocity in the Superficial Lymphatic Network of the Mouse Tail," American Journal of Physiology, 267:H1507-H1513 (1994).
- M.A. Swartz, D.A. Berk and R.K. Jain, "Transport in Lymphatic Capillaries: I. Macroscopic Measurements Using Residence Time Distribution Theory," American Journal of Physiology, 270:H324-H329 (1996).
- D.A. Berk, M.A. Swartz, A.J. Leu, and R.K. Jain, "Transport in Lymphatic Capillaries: II. Microscopic Velocity Measurement with Fluorescence Recovery After Photobleaching," American Journal of Physiology, 270:H330-H337 (1996).
- M. Jeltsch, A. Kaipainen, M. Swartz, D. Fukumura, R.K. Jain, and K. Alitalo, "Hyperplasia of Lymphatic Vessels in VEGF-C Transgenic Mice," Science, 276:1423-1425 (1997).
- S.A. Slavin, A.D. van den Abbeele, A. Losken, M. Swartz, and R.K. Jain, "Return of Lymphatic Function Following Flap Transfer for Acute Lymphedema," Annals of Surgery, 229:421-427 (1999).
- M.A. Swartz, A. Kaipainen, P. Netti, C. Brekken, Y. Boucher, A.J.Grodzinsky and R.K.Jain, "Mechanics of Interstitial-Lymphatic Fluid Transport: Theoretical Foundation and Experimental Validation," Journal of Biomechanics, 32: 1297-1303 (1999).
- A.J. Leu, D.A. Berk, A. Lymboussaki, K. Alitalo and R.K. Jain, "Absence of Functional Lymphatics within a Murine Sarcoma: a Molecular and Functional Evaluation," Cancer Research, 60: 4324-4327 (2000).
- M.A. Swartz, A. Kaipainen, P. Netti, C. Brekken, Y. Boucher, A.J.Grodzinsky and R.K.Jain, "Mechanics of Interstitial-Lymphatic Fluid Transport: Theoretical Foundation and Experimental Validation," Journal of Biomechanics, 32: 1297-1303 (1999).
- A.J. Leu, D.A. Berk, A. Lymboussaki, K. Alitalo and R.K. Jain, "Absence of Functional Lymphatics within a Murine Sarcoma: a Molecular and Functional Evaluation," Cancer Research, 60: 4324-4327 (2000).
- A. Kadambi, C.M. Carreira, C.-O. Yun, T.P. Padera, D.E.J.G.J. Dolmans, P. Carmeliet, D. Fukumura and R.K. Jain, "Vascular endothelial Growth Factor (VEGF)-C Differentially Affects Tumor Vascular Function and Leukocyte Recruitment: Role of VEGF-Receptor 2 and Host VEGF-A," Cancer Research, 61: 2404-2408 (2001).

C. Mouta Carreira, S.M. Nasse, E. diTomaso, T.P. Padera, Y. Boucher, S.I. Tomarev, R.K. Jain, "LYVE-1 is not Restricted to the Lymph Vessels: Expression in Normal Liver Blood Sinusoids and Down-regulation in Human Liver Cancer and Cirrhosis," Cancer Research, 61:8079-8084 (2001).

T.P. Padera, B.R. Stoll, P.T.C. So, and R.K. Jain, "High-Speed Intravital Multiphoton Laser Scanning Microscopy of Microvasculature, Lymphatics, and Leukocyte-Endothelial Interactions," Molecular Imaging, 1:9-15 (2002)

T.P. Padera, E. di Tomaso, A. Kadambi, C. Mouta Carreira, E.B. Brown, Y. Boucher, N.C. Choi, D. Mathisen, J. Wain, E.J. Mark, L.L. Munn, R.K. Jain, "Lymphatic Metastasis in the Absence of Functional Intratumor Lymphatics," Science, 296:1883-1886 (2002)

T.P. Padera, E. di Tomaso, A. Kadambi, C. Mouta Carreira, E.B. Brown, Y. Boucher, N.C. Choi, D. Mathisen, J. Wain, E.J. Mark, L.L. Munn, R.K. Jain, "Lymphatic Metastasis in the Absence of Functional Intratumor Lymphatics," Science, 296:1883-1886 (2002)

T. Padera, B. Stoll, J. Tooredman, D. Capen, E. di Tomaso, and R. K. Jain, "Cancer cells compress intratumor vessels," Nature, 427: 695 (2004).

J. Hagendoorn, T.P. Padera, S. Kashiwagi, N. Isaka, F. Noda, M.I. Lin, P.L.Huang, W.C. Sessa, D. Fukumura, and R.K. Jain. "Endothelial nitric oxide synthase regulates microlymphatic flow via collecting lymphatics," Circulation Research, 95: 204-9 (2004).

N. Isaka, T. P. Padera, J. Hagendoorn, D. Fukumura, and R. K. Jain, "Peritumor lymphatics induced by vascular endothelial growth factor-C exhibit abnormal function," Cancer Research, 64: 4400-4404 (2004).

Interstitial Transport






Figure by MIT OCW.




2005

Measuring Convection, Diffusion and Binding




Fluorescence Recovery After Photobleaching




Typical Values of Interstitial Convective Velocities & Directions


(a)



(b)





(c)



2005

Interstitial Diffusion of IgG in LS174T Xenograft




Time Constant for Diffusion


Distance	IgG	Fab
100 μm	~ 0.5 hours	~ 0.2 hours
1 mm	~ 2–3 days	~ 0.5–1 days
1 cm	~ 7 months	~ 2 months

Plasma Half-life	~ days	~ hours
---------------------	--------	---------

Specific Antibody




1 sec




Non-Specific Antibody

Effect of Molecular Configuration on Diffusion




Interstitial diffusion varies with site of growth



Dorsal window

Cranial window



Courtesy of National Academy of Sciences, U. S. A. Used with permission.

Source: Tomaso, E., E. B. Brown, Y. Izumi, R. B. Campbell, D. A. Berk, R. K. Jain. "Role of tumor-host interactions in interstitial diffusion of macromolecules: cranial vs. subc Pluen A, Boucher Y, Ramanujan S, McKee TD, Gohongi T, di utaneous tumors." *Proc Natl Acad Sci* 98 (2001): 4628-4633. (c) National Academy of Sciences, U.S.A.

2005

Tumor-Host Interaction Influences Drug Transport

Image removed for copyright reasons.

Multicell spheroid human squamous cell carcinoma.

See: *Science* 240, no. 4849 (April 8, 1988): cover page.







Figure by MIT OCW. After Jain.



Role of Collagen in Interstitial Transport




Collagen Restricts HSV Distribution




Fibrillar collagen

HSV particles (150 nm)




Collagenase Co-Injection Improves Virus Distribution




Virus Alone



Collagenase Co-injection




Collagenase Improves Efficacy of MGH2 Oncolytic Viral Therapy



Courtesy of the American Association for Cancer Research. Used with permission. From McKee, T. D., P. Grandi, W. Mok, G. Alexandrakis, N. Insin, J. P. Zimmer, M. G. Bawendi, Y. Boucher, X. O. Breakefield, and R. K. Jain. "Degradation of fibrillar collagen in a human melanoma xenograft improves the efficacy of an oncolytic herpes simplex virus vector." *Cancer Research* 66 (2006): 2509-2513.

Relaxin



2005

Relaxin treatment modifies collagen structure

Day 0



Day 2

Day 5

Day 8


Day 9

Day 12



Reference: Brown, McKee et al., Nature Medicine (2003)


Relaxin treatment enhances macromolecular transport




Summary

- FRAP can provide direct measurements of diffusion, convection and binding *in vivo*
- Convection ~ 0.1 - $\mu\text{m/sec}$
- Diffusion ~ 1/3 of water
- Non-specific binding ~ 1/4 - 1/3
- Interfering with collagen synthesis and/or assembly may enhance interstitial transport.
- Interstitial diffusion depends on the host-tumor interaction.
- Fluorescence correlation microscopy can reveal the two-phase nature of transport in tumors.

2005





Intravital Lymphangiography



2005




Lack of Functional Lymphatics in Tumors




Courtesy of the American Association for Cancer Research. Used with permission. From Leu, A. J., D. A. Berk, A. Lymboussaki, K. Alitalo, and R. K. Jain. "Absence of functional lymphatics within a murine sarcoma: a molecular and functional evaluation." *Cancer Research* 60 (2000): 4324-4327.

VEGF-C Induces Lymphatic Hyperplasia



Control – Lymph Vessels



VEGF-C Induced Hyperplasia

Effect of VEGF-C on Lymphatic Metastases

<u>Property</u>	<u>Cell Line</u>		<u>P-value</u> [*]
	B16F10-MT	B16F10-VEGF-C	
Lymphatic Metastasis	6/21	15/19	0.002
Local Invasion	3/21	12/18	0.001
Lung Metastasis [†]	5/22	2/19	N.S.
		T-241-MT	T-241-VEGF-C
Lymphatic Metastasis	2/14	8/14	0.046
Local Invasion	4/14	5/14	N.S.
Lung Metastasis [†]	5/14	6/14	N.S.

Numerator is the number of mice that exhibited the property, denominator is the total number of mice.

**: P-value based on Fisher's Exact Test. N.S.: not significant*

†: Hematogenous metastasis was analyzed microscopically in 10-20 sections of lung per animal.


Lymphatic Function Studies

- Interstitial fluid pressure measurements
- Epifluorescence lymphangiography
- Multi-photon laser scanning microscopy
- Ferritin lymphangiography



Immunohistochemistry

- Lectin, CD31, LYVE-1, Prox 1

IFP is not changed by VEGF-C overexpression




VEGF-C induced hyperplasia of peri-tumor lymphatics



Green: Lymphatic vessels
Red: Blood vessels


HCCs in Patients Lack Lymphatics




- 42 biopsies of liver tumor (HCC + metastases) examined
- No staining for Prox 1 + LYVE-1 was observed in the tumor area

Courtesy of the American Association for Cancer Research. Used with permission. From C, Mouta Carreira, S. M. Nasser, E. di Tomaso, T. P. Padera, Y. Boucher, S. I. Tomarev, and R. K. Jain. "LYVE-1 is not restricted to the lymph vessels: expression in normal liver blood sinusoids and down-regulation in human liver cancer and cirrhosis." *Cancer Research* 61 (2001): 8079-8084.

Human Lung Tumors




Tumor edge



200 microns


875 microns




$$\text{IFP} = 9.5 \pm 1.5 \text{ mmHg}$$

$n = 27$

Fluid pressure can compress impermeable objects







Fluid pressure can NOT compress permeable vessels, such as blood and lymphatic vessels



Solid stress can compress permeable vessels, such as blood and lymphatic vessels

2005

DT treatment opens lymphatic vessels



Reference: Padera, Stoll et al. *Nature*, (2004)

2005

Peritumor lymphatics induced by VEGF-C exhibit abnormal function




**Lymphatics****Retrograde lymphatics**

Image removed for copyright reasons.

See: Jain, R.K., and B.T. Fenton. "Intra-Tumoral Lymphatic Vessels: A Case of Mistaken Identity or Malfunction?"
JNCI 94 (2002): 417-421.

Summary

- Despite the presence of VEGF-C and its receptor VEGFR3, functional lymphatics cannot be detected in tumors.
- VEGF-C overexpression increases diameter and number of peri-tumor lymphatics.
- Overexpression of VEGF-C and -D increases vascular angiogenesis.
- Levels of VEGF-C and -D correlate with increased lymphatic and hematogeneous metastasis.
- Blocking VEGF-C/-D can prevent lymphatic metastasis.

Overall Summary

Mechanisms of Heterogeneous Distribution of Macromolecules in Tumors

- **Heterogeneous blood flow**
- **Elevated interstitial pressure**
- **Fluid oozing from the periphery**
- **Slow interstitial diffusion**
- **Retardation by binding**
- **Heterogeneous expression of antigens**

Strategies for Improved Delivery

- Make the vasculature the target for therapy
- Modify physiological parameters
 - Increase perfusion
 - Modulate interstitial pressure
 - Interfere with collagen synthesis (e.g., relaxin)
 - Use multi-step strategies
 - “Normalize” the abnormal tumor vasculature