Bootstrap and Linear Regression

18.05 Spring 2014 Jeremy Orloff and Jonathan Bloom

You should have downloaded studio12.zip and unzipped it into your 18.05 working directory.

Review: Computing a bootstrap confidence interval

Starting with data $x_1, x_2, \ldots x_n$ with test statistic $\hat{\theta}$.

- Generate a resample of the data of size n.
- **2** Compute the test statistic θ^* .
- **3** Compute and store the bootstrap difference $\theta^* \hat{\theta}$.
- Repeat steps 1-3 nboot times.
- The bootstrap confidence interval is

$$\left[\hat{\theta} - \delta_{1-\alpha/2}^*, \ \hat{\theta} - \delta_{\alpha/2}^*\right]$$

here $\delta_{\alpha/2}^*$ is a *quantile*.

Board question: two independent samples

Suppose

$$X_1, X_2, \ldots, X_n$$

 Y_1, Y_2, \ldots, Y_m

are independent samples drawn from distributions with means $\mu_{\rm x}$ and $\mu_{\rm y}.$

Describe in detail the steps for computing an empirical bootstrap 95% confidence interval for $\mu_{\rm x}-\mu_{\rm y}$

R Problem 1: Bootstrapping

The data file salaries.csv contains two columns of data: Salaries.1 and Salaries.2. Using R compute a 95% bootstrap confidence interval for the difference of the two means.

- The file studio12.r has code that will show you how load the data in salaries.csv
- studio12.r also has sample code for computing a one-sample bootstrap confidence interval.

Linear regression using R

We will use R to analyze some financial data using simple linear regression.

- We'll use publically available data giving the price of several stocks over a 14 year period from 2000 to 2014.
- We'll use a simplified version of a model called the Capital Asset Pricing Model or CAPM.
- The file studio12.r contains code for loading the data and doing a linear fit between two of the variables.

Exploring the original data

- The original data is in the file studio12financialOriginal.csv. The next two sides show a quick exporation of this data.
- The file contains daily prices or interest rates, over 14 years, for several stocks, bonds and a barrel of oil.


The ones we will look at are:

- SP500: Standard & Poors stock index, the cost of a certain basket of stocks.
- GE: General Electric
- DCOICWTICO: the price of a barrel of the benchmark West Texas crude oil.

Price plots

• The prices are scaled so they could all be put on the same graph.

(Scaled) Stock Prices over 14 years



Daily rate of return

For this project we'll look at the daily rate of return for the financial variables.

Our goal is to fit the data with linear models of the form

- The daily rate of return was precomputed using studio12-prep.r.
- The data is stored in studio12financialDaily.csv.
- The R file studio12.r has code showing how to load this data and code showing how to fit a linear model

Let's look at studio12.r now!

Fitting a linear model using R

Linear model: DCOICWTICO.daily = a + b*SP500.daily

R code:

```
lmfit = lm(DCOILWTICO.daily \sim SP500.daily) summary(lmfit):
```


Coefficients:

```
Estimate Std. Error t value Pr(>|t|)
(Intercept) 0.0003469 0.0003546 0.978 0.328
SP500.daily 0.3325257 0.0311009 10.692 <2e-16 ***
```

- This estimates the model coefficients as $\hat{a} = 0.0003469$, $\hat{b} = 0.3325257$.
- Pr(>|t|) are *p*-values for a NHST with H_0 that the given coefficient is 0.
 - â is significantly different from 0, with p-value $< 2 \cdot 10^{-16}$.
 - b (the constant term) is not significantly different from 0.

Linear fit

Linear fit of DCOILWTICO.daily vs SP500,daily slope = 0.33, intercept = 0



R Problem 2: Linear regression

- Load the data from studio12financialDaily.csv.
- ② Do a linear fit of GE.daily vs. SP500.daily
- Interpret the results.
- Run the multiple linear regression at the end of studio12.r and interpret the results.

MIT OpenCourseWare http://ocw.mit.edu

18.05 Introduction to Probability and Statistics

Spring 2014

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.