

Network Optimization

Depth First Search


Initialize




Mark node 1 and add it to LIST




Select a node i in LIST






If node i is incident to an admissible arc...




If endpoint is unmarked, then mark it and add it to LIST.


Select the last node on LIST



Select Node 2.




If node i is incident to an admissible arc...





Scan arc out of node 2.

Mark node 4 and add it to LIST.




Select






If node i is incident to an admissible arc...



Mark 8 and add it to LIST.





Select







If node i is not incident to an admissible arc...






Select







If node i is incident to an admissible arc...







Select






If node i is incident to an admissible arc...






Select the last node on LIST






If node i is incident to an admissible arc...






Select the last node on LIST







If node i is incident to an admissible arc...






Select the last node on LIST






Scan arc (7,4)






Scan arc (7,5)






Scan arc (7,8)






If node i is <u>not</u> incident to an admissible arc...











Scan (9,4)







Delete 9 from LIST












Scan arc (6.7)






























Delete node 4













Scan arc (2,5)







Delete node 2













Scan arc (1,3)













Scan arcs (3,5) and (3,6)







Delete node 3













Scan arc (1, 5)







Delete node 1






LIST is empty





The depth first search tree

Note that each induced subtree has consecutively labeled nodes



MIT OpenCourseWare http://ocw.mit.edu

 $15.082 J \, / \, 6.855 J \, / \, ESD.78 J$ Network Optimization Fall 2010

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.