

INDEX

- Addition, vector, 9-10
Admittance, characteristic, 579
A field, 336. *See also* Vector potential
Amber, 50
Ampere, unit, 55
Ampere's circuital law, 334
 displacement current correction to, 488
Ampere's experiments, 322
Amperian currents, 348
Analyzer, 518
Angular momentum, 350
Anisotropic media, 516-520
Antennas:
 long dipole, 687-695
 N element array, 685-687
 point electric dipole, 667-677
 point magnetic dipole, 679-681
 two element array, 681-685
Array:
 broadside, 683
 endfire, 685
 factor, 683, 685, 687
 N element, 685-687
 two element, 681-685
Atmosphere, as leaky spherical capacitor,
 195-197
Atom, binding energy of, 211-212
Attenuation constant:
 dielectric waveguide, 646-648
 lossy transmission line, 602-606
 lossy rectangular waveguide, 644
 non-uniform plane waves, 531-532
Autotransformer, 474
Avogadro's number, 136
Axisymmetric solutions to Laplace's
 equation, 286-288

Backward wave distributed system, 651
Barium titanate, 150
Base units, 55
Batteries due to lightning, 197
Bessel's equation, 280, 482
 functions, 281
Betatron, 402-404
 oscillations, 404
Bewley, L. V., 433, 475
B field, *see* Magnetic field
Binding energy, of atom, 211-212
 of crystal, 205-206
Biot-Savart law, 322-323
Birefringence, 518-520
Bohr atomic model, 111-112

Bohr magneton, 350
Bohr radius, 63
Boltzmann constant, 155
Boltzmann distribution, 156
Boundary conditions:
 normal component of:
 current density J , 168-169
 displacement field D , 163-164
 magnetic field B , 366
 polarization P , 165-166
 $\epsilon_0 E$, 165-166
 tangential component of:
 electric field E , 162-163
 magnetic field H , 359-360
 magnetization M , 360
Breakdown, electric strength, 93, 223
 electromechanical, 252
Brewster's angle, 540-543
 and polarization by reflection, 547
Broadside array, 683

Capacitance:
 as approximation to short transmission
 line, 589-592, 601
 coaxial cylindrical electrodes, 176-177
 concentric spherical electrodes, 176-
 177
 energy stored in, 212-213
 force on, 219-223
 any geometry, 172
 isolated sphere, 178, 213
 parallel plate electrodes, 173-177
 per unit length on transmission line,
 570, 572
 power flow in, 491-493
 reflections from at end of transmission
 line, 593-594
 and resistance, 177
 in series or parallel, 242-243
 slanted conducting planes, 273
 two contacting spheres, 178-181
 two wire line, 101-103
Cartesian coordinates, 29-30
Cauchy's equation, 563
Cauchy-Riemann equations, 305
Chalmers, J. A., 293
Characteristic admittance, 579
Characteristic impedance, 579
Charge:
 by contact, 50
 differential elements, 60
 distributions, 59-63

- and electric field, 56-57
- force between two electrons, 56
- forces on, 51-52
- and Gauss's law, 74-76
- polarization, 140-142, 149
- Charge relaxation, series lossy capacitor, 184-189
 - time, 182-184
 - transient, 182
 - uniformly charged sphere, 183-184
- Child-Langmuir law, 200
- Circuit theory as quasi-static approximation, 490
- Circular polarization, 515-516
- Circulation, 29
 - differential sized contour, 30
 - and Stokes' theorem, 35
- Coaxial cable, capacitance, 176-177
 - inductance, 456-458
 - resistance, 172
- Coefficient of coupling, 415
- Coercive electric field, 151
- Coercive magnetic field, 356-357
- Cole-Cole plot, 234
- Collision frequency, 154
- Commutator, 429
- Complex permittivity, 509, 524
- Complex Poynting's theorem, 494-496
- Complex propagation constant, 530-532
- Conductance per unit length, 190
- Conduction, 51
 - drift-diffusion, 156-159
 - Ohmic, 159-160
 - superconductors, 160-161
- Conductivity, 159-160
 - of earth's atmosphere, 195
 - and resistance, 170
- Conjugate functions, 305
- Conservation of charge, 152-154
 - boundary condition, 168-169
 - inconsistency with Ampere's law, 488-489
 - on perfect conductor with time varying surface charge, 537
- Conservation of energy, 199
- Constitutive laws:
 - linear dielectrics, 143-146
 - linear magnetic materials, 352, 356
 - Ohm's law, 159-160
 - superconductors, 160-161
- Convection currents, 182, 194-195
- Coordinate systems, 2-7
 - Cartesian (rectangular), 2-4
 - circular cylindrical, 4-7
 - inertial, 417
 - spherical, 4-7
- Coulomb's force law, 54-55
- Critical angle, 541-544
- Cross (Vector) product, 13-16
 - and curl operation, 30
- Crystal binding energy, 205-206
- Curl:
 - Cartesian (rectangular) coordinates, 29-30
 - circulation, 29-31
 - curvilinear coordinates, 31
 - cylindrical coordinates, 31-33
 - of electric field, 86
 - of gradient, 38-39
 - of magnetic field, 333
 - spherical coordinates, 33-35
 - and Stokes' theorem, 35-38
- Current, 152-154
 - boundary condition, 168-169
 - density, 153-154
 - over earth, 196
 - between electrodes, 169-170
 - through lossless capacitor, 178
 - through series lossy capacitor, 187-189
 - sheet, as source of non-uniform plane waves, 532-534
 - as source of uniform plane waves, 500-503
- Curvilinear coordinates, general, 46
- Cut-off in rectangular waveguides, 638-641
- Cyclotron, 319-321
 - frequency, 316
- Cylinder:
 - magnetically permeable, 357-359
 - and method of images, 97-103
 - permanently polarized, 166-168
 - surface charged, 80-82
 - with surface current, 335-336
 - in uniform electric field, 273-277
 - perfectly conducting, 278
 - perfectly insulating, 279
 - volume charged, 72, 82
 - with volume current, 336
- Cylindrical coordinates, curl, 31
 - divergence, 24-26
 - gradient, 17
- Debye length, 157-159
- Debye unit, 139
- Dees, 319
- Del operator, 16
 - and complex propagation vector, 531
 - and curl, 30
 - and divergence, 24

- and gradient, 16
- Delta function, 187
- Diamagnetism, 349-352
- Dichroism, 517
- Dielectric, 143
 - coating, 525-528
 - constant, 146-147
 - linear, 146-147
 - modeled as dilute suspension of conducting spheres, 293
 - and point charge, 164-165
 - waveguide, 644-648
- Difference equations:
 - capacitance of two contacting spheres, 179-181
 - distributed circuits, 47-48
 - self-excited electrostatic induction machines, 227-230
 - transient transmission line waves, 586-587
- Differential:
 - charge elements, 60
 - current elements, 323
 - cylindrical charge element, 81-82
 - lengths and del operator, 16-17
 - line, surface, and volume elements, 4
 - planar charge element, 68
 - spherical charge element, 79-80
- Diffusion, coefficient, 156
 - equation, 191
- Diode, vacuum tube, 198-201
- Dipole electric field:
 - far from permanently polarized cylinder, 168
 - far from two oppositely charged electrodes, 169, 172
 - along symmetry axis, 58-59
 - two dimensional, 231, 274
- Dipole moment, electric, 137
 - magnetic, 345
- Directional cosines, 41
- Dispersion, complex waves, 531
 - light, 563
- Displacement current, 154, 178
 - as correction to Ampere's law, 488-489
- Displacement field, 143
 - boundary condition, 163-164
 - parallel plate capacitor, 175
 - permanently polarized cylinder, 166-168
 - in series capacitor, 185
- Distortionless transmission line, 603
- Distributed circuits:
 - backward wave, 650
 - inductive-capacitive, 47-48
 - resistive-capacitive, 189-194
 - transmission line model, 575-576
- Divergence:
 - Cartesian (rectangular) coordinates, 23-24
 - of curl, 39
 - curvilinear coordinates, 24
 - cylindrical coordinates, 24-26
 - of electric field, 83
 - of magnetic field, 333
 - spherical coordinates, 26
 - theorem, 26-28
 - and Gauss's law, 82-83
 - relating curl over volume to surface integral, 44
 - relating gradient over volume to surface integral, 43
- Domains, ferroelectric, 50
 - ferromagnetic, 356-357
- Dominant waveguide mode, 640
- Doppler frequency shifts, 507-508
- Dot (scalar) product, 11-13
 - and divergence operation, 24
 - and gradient operation, 16
- Double refraction, 518-520
- Double stub matching, 625-629
- Drift-diffusion conduction, 156-159

- Earth, fair weather electric field, 195
 - magnetic field, 424-425
- Eddy currents, 401
- Effective length of radiating electric dipole, 676-677
- Einstein's relation, 156
- Einstein's theory of relativity, 207
- Electrets, 151
 - force on, 218
 - measurement of polarization, 239-240
- Electric breakdown, 93, 223-224
 - mechanical, 252
- Electric dipole, 136
 - electric field, 139
 - moment, 137-140, 231
 - potential, 136-137
 - radiating, 667-671
 - units, 139
- Electric field, 56-57
 - boundary conditions, normal component, 83, 165-166
 - tangential component, 162-163
 - of charge distribution, 63-64
 - of charged particle precipitation onto sphere, 293
 - of cylinder with, surface charge, 71, 80-82

- volume charge, 72, 82
 - in conducting box, 269
 - discontinuity across surface charge, 83
 - of disk with surface charge, 69-71
 - due to lossy charged sphere, 183
 - due to spatially periodic potential sheet, 266
 - due to superposition of point charges, 57-58
 - energy density, 208-209
 - and Faraday's law, 395
 - of finite length line charge, 89
 - and gradient of potential, 86
 - around high voltage insulator bushing, 284
 - of hoop with line charge, 69
 - between hyperbolic electrodes, 262
 - of infinitely long line charge, 64-65
 - of infinite sheets of surface charge, 65-69
 - line integral, 85-86
 - local field around electric dipole, 145-146
 - around lossy cylinder, 276
 - around lossy sphere, 289
 - numerical method, 298
 - around permanently polarized cylinder, 166-168
 - of permanently polarized cylinder, 166-168
 - of point charge above dielectric boundary, 165
 - of point charge near grounded plane, 107
 - of point charge near grounded sphere, 106
 - of radiating electric dipole, 671
 - in resistive box, 263
 - in resistor, coaxial cylinder, 172
 - concentric sphere, 173
 - parallel plate, 171
 - of sphere with, surface charge, 76-79
 - volume charge, 79-80
 - transformation, 417
 - between two cones, 286
 - of two infinitely long opposite polarity line charges, 94
 - of two point charges, 58-59
 - of uniformly charged volume, 68-69
- Electric field lines:
- around charged sphere in uniform field, 297
 - around cylinder in uniform field, 276-277
 - due to spatially periodic potential sheet, 267
 - of electric dipole, 139
 - around high voltage insulator bushing, 284
 - between hyperbolic electrodes, 262
 - of radiating electric dipole, 671-673
 - within rectangular waveguide, 636, 639
 - around two infinitely long opposite polarity line charges, 95-96
 - around uncharged sphere in uniform field, 290-291
- Electric potential, 86-87
- of charge distribution, 87
 - within closed conducting box, 268, 300
 - due to spatially periodic potential sheet, 266
 - and electric field, 86-87
 - of finite length line charge, 88-89
 - around high voltage insulator bushing, 282-284
 - between hyperbolic electrodes, 262
 - of infinitely long line charge, 94
 - inside square conducting box, 299-301
 - of isolated sphere with charge, 109
 - around lossy cylinder in uniform electric field, 274
 - around lossy sphere in uniform electric field, 288
 - within open resistive box, 263
 - of point charge, 87
 - of point charge above dielectric boundary, 165
 - of point charge and grounded plane, 107
 - of point charge and grounded sphere, 103
 - of sphere with, surface charge, 90-91
 - volume charge, 90-91
 - between two cones, 286
 - of two infinitely long line charges, 94
 - between upper atmosphere and earth's surface, 196-197
 - and zero potential reference, ground, 87
- Electric susceptibility, 146
- Electromechanical breakdown, 252
- Electromotive force (EMF), 395
- due to switching, 433
 - due to time varying number of coil turns, 433-435
 - in magnetic circuits, 406
- Electron, beam injection into dielectrics, 201
- charge and mass of, 56
 - radius of, 207

- Electronic polarization, 136
 Electron volts, 206
 Electroscope, 53-54
 Electrostatic generators, and Faraday's
 ice pail experiment, 53-54
 induction machines, 224-230
 Van de Graaff, 223-224
 Electrostatic induction, 51-53
 Faraday's ice pail experiment, 53-54
 machines, 224-230
 Electrostatic precipitation, 293, 307
 Electrostatic radiating field, 671
 Electrostriction, 151
 Elliptical polarization, 515
 Element factor, 683
 Endfire array, 685
 Energy:
 binding, of atom, 211-212
 of crystal, 205-206
 and capacitance, 212-213, 220
 and charge distributions, 204-208
 conservation theorem, 199
 and current distributions, 454
 density, electric field, 208-209
 magnetic field, 441-455
 and inductance, 454
 stored in charged spheres, 210
 Equipotential, 84-85
 Euerle, W. C., 227
 Exponential transmission line, 649
 External inductance, 456-457

 Fair weather electric field, 195
 Farad, 175
 Faraday, M., 394
 cage, 78
 disk, 420-422
 ice pail experiment, 53-54
 Faraday's law of induction, 394-397,
 489
 and betatron, 403
 for moving media, 417
 and paradoxes, 430-435
 and resistive loop, 412
 and Stokes' theorem, 404
 Far field radiation, 671
 Fermat's principle, 562
 Ferroelectrics, 149-151
 Ferromagnetism, 357
 Fiber optics, 550-552
 Field emission, 109
 Field lines, *see* Electric field lines;
 Magnetic field lines
 Flux, 22
 and divergence, 21-26
 and divergence theorem, 26-28
 and Gauss's law, 74-75
 and magnetic field, 338
 magnetic through square loop, 342-343
 and sources, 21-22
 and vector potential, 338
 Force:
 on capacitor, 219-223
 Coulomb's law, 54-56
 on current carrying slab, 441, 444
 between current sheets, 329
 due to pressure gradient, 155
 on electric dipole, 216
 gravitational, 56
 on inductor, 461
 interfacial, 264
 on linear induction machine, 449-450
 between line charge and cylinder, 99
 between line charge and plane, 97
 between line current and perfect con-
 ductor or infinitely permeable
 medium, 363
 between line currents, 314-315
 on magnetically permeable medium,
 363
 on magnetic block, 465
 on magnetic dipole, 352, 368-370
 on magnetizable current loop, 370-375
 on MHD machine, 430
 on moving charge, 314-315
 on one turn loop, 464
 between point charge and dielectric
 boundary, 165
 between point charge and grounded
 plane, 108
 between point charge and grounded
 sphere, 105
 between point charges, 51-56
 between point charge and sphere of
 constant charge, 109
 between point charge and sphere of
 constant potential, 110
 on polarizable medium, 215-219
 on relay, 463
 on surface charge, 213-215
 between two contacting spheres, 181
 between two cylinders, 100
 Fourier series, 267
 Frequency, 505-506
 Fringing fields, 173-175
 Fundamental waveguide mode, 640

 Galilean coordinate transformation, 505
 Galilean electric field transformation, 417
 Garton, C. G., 252

- Gas conduction model, 154-155
 Gauge, setting, 665
 Gauss's law, 75, 489
 and boundary conditions:
 normal component of current density, 168
 normal component of displacement field, 163-164
 normal component of polarization, 165-166
 normal component of $\epsilon_0 E$, 83, 165-166
 and charge distributions, 75
 and charge injection into dielectrics, 201-202
 and conservation of charge, 154
 and cylinders of charge, 80-82
 and displacement field, 143
 and divergence theorem, 82-83
 and lossy charged spheres, 183-184
 for magnetic field, 333
 and point charge inside or outside volume, 74-75
 and polarization field, 142
 and resistors, coaxial cylinder, 172
 parallel plate, 171
 spherical, 173
 and spheres of charge, 76-80
 Generalized reflection coefficient, 607-608
 Generators, 427-429
 Geometric relations between coordinate systems, 7
 Gibbs phenomenon, 269
 Gradient:
 in Cartesian (rectangular) coordinates, 16-17
 in cylindrical coordinates, 17
 and del operator, 16
 and electric potential, 86
 and line integral, 18-21
 of reciprocal distance, 73
 in spherical coordinates, 17-18
 theorem, 43-44, 334, 370
 Gravitational force, 56
 Green's reciprocity theorem, 124
 Green's theorem, 44
 Ground, 87
 Group velocity, 513
 on distortionless transmission line, 603
 in waveguide, 641
 Guard ring, 173-174
 Gyromagnetic ratio, 385
 Half wave plate, 519
 Hall effect, 321-322
 Hall voltage, 322
 Harmonics, 267-269
 Helix, 317
 Helmholtz coil, 331
 Helmholtz equation, 631
 Helmholtz theorem, 337-338, 665
 H field, *see* Magnetic field
 High voltage bushing, 282-284
 Holes, 154, 321
 Homopolar generator, 420-422
 periodic speed reversals, 426-427
 self-excited, 422-424
 self-excited ac operation, 424-425
 Horenstein, M. N., 282
 Hyperbolic electrodes, 261-262
 Hyperbolic functions, 264-265
 Hysteresis, ferroelectric, 150-151
 magnetic, 356-357
 and Poynting's theorem, 553
 Identities, vector, 38-39, 46-47
 Images, *see* Method of Images
 Impedance, characteristic, 579
 of free space, 498
 wave, 498
 Impulse current, 187
 Index of refraction, 540
 Inductance:
 of coaxial cable, 456-458, 575
 external, 456-457
 and ideal transformer, 414-415
 internal, 457-458
 and magnetic circuits, 407-411
 mutual, 398
 as quasi-static approximations to transmission lines, 589-592, 601
 reflections from at end of transmission line, 594-595
 and resistance and capacitance, 458-459
 self, 407
 of solenoid, 408
 of square loop, 343
 of toroid, 409
 per unit length on transmission line, 570, 572
 Induction, electromagnetic, 394-395
 electrostatic, 51-54, 224-230
 machine, 446-450
 Inertial coordinate system, 417
 Internal inductance, 457-458
 International system of units, 55
 Ionic crystal energy, 205-206
 Ionic polarization, 136-137

- Ionosphere plane wave propagation, 511-512, 557
 Isotopes, 318-319
 Kelvin's dynamo, 227
 Kerr effect, 520, 558
 Kinetic energy, 199
 Kirchoff's current law, 154, 490
 Kirchoff's laws on transmission lines, 569-570
 Kirchoff's voltage law, 86, 490
 Laminations, 401-402, 470-471
 Lange's *Handbook of Chemistry*, 147
 Langevin equation, 251
 for magnetic dipoles, 355
 Langmuir-Child law, 200
 Laplace's equation, 93, 258
 Cartesian (rectangular) coordinates, 260
 cylindrical coordinates, 271
 and magnetic scalar potential, 365
 spherical coordinates, 284
 Laplacian of reciprocal distance, 73-74
 Larmor angular velocity, 316
 Laser, 517
 Law of sines and cosines, 41
 Leakage flux, 415
 Left circular polarization, 516
 Legendre's equation, 287
 Legendre's polynomials, 287-288
 Lenz's law, 395-397
 and betatron, 403
 Leyden jar, 227
 L'Hôpital's rule, 589
 Lightning producing atmospheric charge, 197
 Light pipe, 550-552, 565
 Light velocity, 56, 497
 Linear dielectrics, 143-147
 Linear induction machine, 446-450
 Linear magnetic material, 352, 356
 Linear polarization, 515
 Line charge:
 distributions, 60
 finite length, 88-89
 hoop, 69
 infinitely long, 64-65
 method of images, 96-103
 near conducting plane, 96-97
 near cylinder, 97-99
 two parallel, 93-96
 two wire line, 99-103
 Line current, 324
 Line integral, 18-21
 of electric field, 85
 of gradient, 19-20
 and Stokes' theorem, 36
 and work, 18-19
 Local electric field, 145-146
 Lord Kelvin's dynamo, 227
 Lorentz field, 238
 Lorentz force law, 314-316
 Lorentz gauge, 665
 Lorentz transformation, 417, 505
 Lossy capacitor, 184-189
 Madelung, electrostatic energy, 205
 Magnesium isotopes, 319
 Magnetic charge, 489
 Magnetic circuits, 405-407
 Magnetic diffusion, 435
 with convection, 444-446
 equation, 437
 Reynold's number, 446
 skin depth, 442-443
 transient, 438-441
 Magnetic dipole, 344
 field of, 346
 radiation from, 679-681
 vector potential, 345, 680
 Magnetic energy:
 density, 455
 and electrical work, 452
 and forces, 460-461
 and inductance, 454
 and mechanical work, 453, 460-461
 stored in current distribution, 454
 Magnetic field, 314, 322-323
 and Ampere's circuital law, 333-334
 boundary conditions, 359-360
 due to cylinder of volume current, 336
 due to finite length line current, 341
 due to finite width surface current, 342
 due to hollow cylinder of surface current, 332, 336
 due to hoop of line current, 330
 due to infinitely long line current, 324-325
 due to magnetization, 348-349
 due to single current sheet, 327
 due to slab of volume current, 327
 due to two hoops of line current (Helmholtz coil), 331
 due to two parallel current sheets, 328
 in Helmholtz coil, 331
 and Gauss's law, 332-333
 of line current above perfect conductor or infinitely permeable medium, 363

- of line current in permeable cylinder, 358
- in magnetic circuits, 405-407, 411
- of magnetic dipole, 346
- in magnetic slab within uniform field, 361
- of radiating electric dipole, 670
- of radiating magnetic dipole, 681
- in solenoid, 408
- of sphere in uniform field, 364-367
- in toroid, 409
- and vector potential, 336-338
- Magnetic field lines, 342, 366-367
- Magnetic flux, 333, 343
 - in magnetic circuits, 406-411
- Magnetic flux density, 349
- Magnetic scalar potential, 365
- Magnetic susceptibility, 350, 352
- Magnetite, 343
- Magnetization, 343
 - currents, 346-348
- Magnetohydrodynamics (MHD), 430
- Magnetomotive force (mmf), 409
- Magnetron, 375-376
- Mahajan, S., 206
- Malus, law of, 518
- Mass spectrograph, 318-319
- Matched transmission line, 582, 584
- Maxwell's equations, 489, 664
- Meissner effect, 451
- Melcher, J. R., 227, 264, 420, 435
- Method of images, 96
 - line charge near conducting plane, 96-97
 - line charge near cylinder, 97-99
 - line charge near dielectric cylinder, 238-239
 - line current above perfect conductor or infinitely permeable material, 361-363
 - point charge near grounded plane, 106-107
 - point charge near grounded sphere, 103-106
 - point charge near sphere of constant charge, 109
 - point charge near sphere of constant potential, 110
 - two contacting spheres, 178-181
 - two parallel line charges, 93-96
 - two wire line, 99-103
- M field, 343
- MHD, 430
- Michelson-Morley experiment, 503
- Millikan oil drop experiment, 110-111
- Mirror, 547
- MKSA System of units, 55
- Mobility, 156, 201, 293
- Modulus of elasticity, 252
- Momentum, angular, 350
- Motors, 427-429
- Mutual inductance, 398
- Near radiation field, 671
- Newton's force law, 155
- Nondispersive waves, 503
- Nonuniform plane waves, 529, 532-533
 - and critical angle, 542
- Normal component boundary conditions:
 - current density, 168
 - displacement field, 163-164
 - magnetic field, 360
 - polarization and $\epsilon_0 E$, 165-166
- Normal vector:
 - and boundary condition on displacement field, 163-164
 - and contour (line) integral, 29
 - and divergence theorem, 27
 - and flux, 22
 - integrated over closed surface, 44
 - and surface integral, 22
- Numerical method of solution to Poisson's equation, 297-301
- Oblique incidence of plane waves, onto dielectric, 538-543
 - onto perfect conductor, 534-537
- Oersted, 314
- Ohmic losses, of plane waves, 508-511
 - in transmission lines, 602-606
 - in waveguides, 643-644
- Ohm's law, 159-160
 - with convection currents, 182
 - in moving conductors, 418
- Open circuited transmission lines, 585, 589-590, 599-600
- Optical fibers, 550-552
- Orientational polarization, 136-137
- Orthogonal vectors and cross product, 14
- Orthogonal vectors and dot product, 11-12
- Paddle wheel model for circulation, 30-31
- Parallelogram, and cross (vector) product, 13
 - rule for vector addition and subtraction, 9-10
- Parallelepiped volume and scalar triple product, 42
- Paramagnetism, 352-356

- Perfect conductor, 159-160
 Period, 506
 Permeability, of free space, 322
 magnetic, 352, 356
 Permeance, 411
 Permittivity:
 complex, 509, 524
 dielectric, 146-147
 of free space, 56
 frequency dependent, 511
 P field, 140, 165-166. *See also* Polarization
 Phase velocity, 513
 on distortionless transmission line, 603
 in waveguide, 641
 Photoelastic stress, 520
 Piezoelectricity, 151
 Planck's constant, 350
 Plane waves, 496-497
 losses, 508-511
 non-uniform, 530-533
 normal incidence onto lossless dielectric, 522-523
 normal incidence onto lossy dielectric, 524-525
 normal incidence onto perfect conductor, 520-522
 oblique incidence onto dielectrics, 538-544
 oblique incidence onto perfect conductors, 534-537
 power flow, 498, 532
 uniform, 529-530
 Plasma, conduction model, 154-155
 frequency, 161, 511
 wave propagation, 511-512
 Pleines, J., 206
 Point charge:
 above dielectric boundary, 164-165
 within dielectric sphere, 147-149
 force on, 55-58
 near plane, 106-108
 in plasma, 158-159
 radiation from, 666-667
 near sphere, 103-110
 Poisson equation, 93, 258
 and Helmholtz theorem, 338
 and radiating waves, 665-666
 within vacuum tube diode, 199
 Poisson-Boltzmann equation, 157
 Polariscopes, 518-520
 Polarizability, 143-144
 and dielectric constant, 147
 Polarization:
 boundary conditions, 165-166
 charge, 140-142, 149
 cylinder, 166-168
 and displacement field, 146-147
 electronic, 136
 force density, 215-219
 ionic, 136
 orientational, 136
 in parallel plate capacitor, 176-177
 by reflection, 546-547
 spontaneous, 149-151
 of waves, 514-516
 Polarizers, 517-520
 Polarizing angle, 547
 Polar molecule, 136-137
 Polar solutions to Laplace's equation, 271-272
 Potential:
 energy, 199
 retarded, 664-667
 scalar electric, 86-93, 664-667
 scalar magnetic, 365-367
 vector, 336, 664-667
 see also Electric potential; Vector potential
 Power:
 in capacitor, 220
 on distributed transmission line, 576-578
 in electric circuits, 493-494
 electromagnetic, 491
 flow into dielectric by plane waves, 524
 in ideal transformer, 415
 in inductor, 461
 from long dipole antenna, 692
 in lossy capacitor, 492
 from radiating electric dipole, 675-676
 time average, 495
 in waveguide, 641
 Poynting's theorem, 490-491
 complex, 494-496
 for high frequency wave propagation, 512
 and hysteresis, 553
 Poynting's vector, 491
 complex, 495
 and complex propagation constant, 532
 through dielectric coating, 528
 due to current sheet, 503
 of long dipole antenna, 691
 for oblique incidence onto perfect conductor, 536-537
 through polarizer, 518
 and radiation resistance, 674
 in rectangular waveguide, 641-642

- reflected and transmitted through lossless dielectric, 524
- time average, 495
- of two element array, 683
- and vector wavenumber, 530
- Precipitator, electrostatic, 293-297, 307
- Pressure, 154
 - force due to, 155
 - radiation, 522
- Primary transformer winding, 415
- Prisms, 549-550
- Product, cross, 13-16
 - dot, 11-13
 - vector, 13-16
- Product solutions:
 - to Helmholtz equation, 632
 - to Laplace's equation:
 - Cartesian (rectangular) coordinates, 260
 - cylindrical coordinates, 271-272
 - spherical coordinates, 284-288
- Pyroelectricity, 151
- Q of resonator, 660
- Quadrupole, 233
- Quarter wave long dielectric coating, 528
- Quarter wave long transmission line, 608-610
- Quarter wave plate, 520
- Quasi-static circuit theory approximation, 490
- Quasi-static inductors and capacitors as approximation to transmission lines, 589-592
- Quasi-static power, 493-494
- Radiation:
 - from electric dipole, 667-677
 - field, 671
 - from magnetic dipole, 679-681
 - pressure, 522
 - resistance, 674-677, 691-694
- Radius of electron, 207
- Rationalized units, 55
- Rayleigh scattering, 677-679
- Reactive circuit elements as short transmission line approximation, 601-602
- Reciprocal distance, 72
 - and Gauss's law, 74-75
 - gradient of, 73
 - laplacian of, 73-74
- Reciprocity theorem, 124
- Rectangular (Cartesian) coordinate system, 2-4
 - curl, 29-30
 - divergence, 23-24
 - gradient, 16-17
- Rectangular waveguide, 629-644. *See also* Waveguide
- Reference potential, 86-87
- Reflected wave, plane waves, 520, 522, 535-536, 538, 542
 - transmission line, 581-582, 586-587, 592-595
- Reflection, from mirror, 545
 - polarization by, 546-548
- Reflection coefficient:
 - arbitrary terminations, 592-593
 - generalized, 607-608
 - of plane waves, 523
 - of resistive transmission line terminations, 581-582
- Refractive index, 540
- Relative dielectric constant, 146
- Relative magnetic permeability, 356
- Relativity, 503-505
- Relaxation, numerical method, 297-301
- Relaxation time, 182
 - of lossy cylinder in uniform electric field, 275
 - of two series lossy dielectrics, 186-187
- Reluctance, 409
 - motor, 482-483
 - in parallel, 411
 - in series, 410
- Resistance:
 - between electrodes, 169-170
 - between coaxial cylindrical electrodes, 172
 - in open box, 262-264
 - between parallel plate electrodes, 170-171
 - in series and parallel, 186-187
 - between spherical electrodes, 173
- Resistivity, 159
- Remanent magnetization, 356-357
- Remanent polarization, 151
- Resonator, 660
- Retarded potentials, 664-667
- Reynold's number, magnetic, 446
- Right circular polarization, 516
- Right handed coordinates, 3-5
- Right hand rule:
 - and circulation, 29-30
 - and cross products, 13-14
 - and Faraday's law, 395
 - and induced current on perfectly conducting sphere, 367
 - and line integral, 29

- and magnetic dipole moment, 344-345
- and magnetic field, 324
- Saturation, magnetic, 356-357
 - polarization, 150-151
- Saturation charge, 295
- Scalar electric potential, 86-87
- Scalar magnetic potential, 365
- Scalar potential and radiating waves, 664-667, 669-670
- Scalar (dot) product, 11-13
- Scalars, 7-8
- Scalar triple product, 42
- Schneider, J. M., 201
- Seawater skin depth, 443
- Secondary transformer winding, 415
- Self-excited machines, electrostatic, 224-230
 - homopolar generator, 422-427
- Self-inductance, *see* Inductance
- Separation constants, to Helmholtz equation, 632
 - to Laplace's equation, 260-261, 271, 278-280, 286-287
- Separation of variables:
 - in Helmholtz equation, 632
 - in Laplace's equation:
 - Cartesian, 260-261, 264-265, 270
 - cylindrical, 271, 277-282
 - spherical, 284-288
- Short circuited transmission line, 585, 590, 596-599
- Sidelobes, 688
- Sine integral, 691, 694
- SI units, 55-56, 322
 - capacitance, 175
 - resistance, 171
- Skin depth, 442-443
 - with plane waves, 511, 525
 - and surface resistivity, 604-606, 643
- Slip, 448
- Single stub tuning, 623-625
- Sinusoidal steady state:
 - and complex Poynting's theorem, 494-495
 - and linear induction machine, 446-450
 - and magnetic diffusion, 442-444
 - and Maxwell's equations, 530-532
 - and radiating waves, 667-671
 - and series lossy capacitor, 188-189
 - and TEM waves, 505-507
- Slot in waveguide, 635
- Smith chart, 611-615
 - admittance calculations, 620-621
 - stub tuning, 623-629
- Snell's law, 540
- Sohon, H., 431
- Solenoid self-inductance, 407-408
- Space charge limited conduction, in dielectrics, 201-203
 - in vacuum tube diode, 198-201
- Speed coefficient, 421
- Sphere:
 - capacitance of isolated, 178
 - of charge, 61-63, 76-80, 91
 - charge relaxation in, 183-184
 - earth as leaky capacitor, 195-197
 - as electrostatic precipitator, 293-297
 - lossy in uniform electric field, 288-293
 - method of images with point charge, 103-110
 - point charge within dielectric, 147-149
 - two charged, 92
 - two contacting, 178-181
 - in uniform magnetic field, 363-368
- Spherical coordinates, 4-6
 - curl, 33-37
 - divergence, 26
 - gradient, 17
- Spherical waves, 671
- Spin, electron and nucleus, 344
- Standing wave, 521-522
- Standing wave parameters, 616-620
- Stark, K. H., 252
- Stewart, T. D., 237
- Stokes' theorem, 35-38
 - and Ampere's law, 349
 - and electric field, 85-86
 - and identity of curl of gradient, 38-39
 - and magnetic flux, 338
- Stream function:
 - of charged particle precipitation onto sphere, 297
 - cylindrical coordinates, 276-277
 - of radiating electric dipole, 672
 - spherical coordinates, 290-291
- Stub tuning, 620-629
- Successive relaxation numerical method, 297-301
- Superconductors, 160-161
 - and magnetic fields, 450-451
- Surface charge distribution, 60
 - and boundary condition on current density, 168
 - and boundary condition on displacement field, 163-164
 - and boundary condition on $\epsilon_0 E$, 83, 166
 - on cylinder in uniform electric field, 273-275

- of differential sheets, 68-69
- disk, 69-71
- electric field due to, 65-67
- force on, 213-215
- hollow cylinder, 71
- induced by line charge near plane, 97
- induced by point charge near plane, 107-108
- induced by point charge near sphere, 106
- and parallel plate capacitor, 175
- on slanted conducting planes, 273
- on spatially periodic potential sheet, 266
- on sphere in uniform electric field, 289
- between two lossy dielectrics, 186-187
- two parallel opposite polarity sheets, 67-68
- Surface conductivity, 435, 601
- Susceptibility, electric, 146
- magnetic, 350, 352
- Tangential component boundary conditions, electric field, 162-163
- magnetic field, 359-360
- Taylor, G. I., 264
- Taylor series expansion, 298
- of logarithm, 205
- Temperature, ideal gas law, 154-155
- TEM waves, *see* Transverse electromagnetic waves
- TE waves, *see* Transverse electric waves
- Tesla, 314
- Test charge, 57
- Thermal voltage, 156, 158
- Thermionic emission, 108-109
- in vacuum tube diode, 198
- Thomson, J. J., 377
- Till, H. R., 201
- Time constant:
 - charged particle precipitation onto sphere, 296
 - charging of lossy cylinder, 273
 - discharge of earth's atmosphere, 197
 - distributed lossy cable, 192-194
 - magnetic diffusion, 440
 - ohmic charge relaxation, 182-184
 - resistor-inductor, 436
 - for self-excited electrostatic induction machine, 226
 - series lossy capacitor, 186-188
- Time dilation, 505
- TM waves, *see* Transverse magnetic waves
- Tolman, R. C., 237
- Torque, on electric dipole, 215
- on homopolar machine, 422
- on magnetic dipole, 353
- Toroid, 408-409
- Tourmaline, 517
- Transformer:
 - action, 411
 - autotransformer, 474
 - ideal, 413-416
 - impedance, 415-416
 - real, 416-417
 - twisted, 473-474
- Transient charge relaxation, *see* Charge relaxation
- Transmission coefficient, 523
- Transmission line:
 - approach to dc steady state, 585-589
 - equations, 568-576
 - losses, 602-603
 - sinusoidal steady state, 595-596
 - transient waves, 579-595
- Transverse electric (TE) waves, in dielectric waveguide, 647-648
- in rectangular waveguide, 635-638
- power flow, 642-643
- Transverse electromagnetic (TEM) waves, 496-497
- power flow, 532
- transmission lines, 569-574
- Transverse magnetic (TM) waves: in dielectric waveguide, 644-647
- power flow, 641-642
- in rectangular waveguide, 631-635
- Traveling waves, 497-500
- Triple product, scalar, 42
- vector, 42
- Two wire line, 99-103
- Uman, M. A., 195
- Uniform plane waves, 529-530
- Uniqueness, theorem, 258-259
- of vector potential, 336-338
- Unit:
 - capacitance, 175
 - rationalized MKSA, 55-56
 - resistance, 171
 - SI, 55-56
- Unit vectors, 3-5
- divergence and curl of, 45
- Unpolarized waves, 546-547
- Vacuum tube diode, 198-201
- Van de Graaff generator, 223-224
- Vector, 8-16
- addition and subtraction, 9-11
- cross(vector) product, 13-16

- distance between two points, 72
- dot(scalar) product, 11-13
- identities, 46-47
 - curl of gradient, 38-39
 - divergence of curl, 39
 - triple product, 42
- magnitude, 8
- multiplication by scalar, 8-9
- product, 11-16
- scalar (dot) product, 11-13
- Vector potential, 336
 - of current distribution, 338
 - of finite length line current, 339
 - of finite width surface current, 341
 - of line current above perfect conductor
 - or infinitely permeable medium, 363
 - of magnetic dipole, 345
 - and magnetic field lines, 342
 - and magnetic flux, 338
 - of radiating electric dipole, 668-669
 - of radiating waves, 667
 - uniqueness, 336-338
- Velocity:
 - conduction charge, 156
 - electromagnetic waves, 500
 - group, 513
 - light, 56, 500
 - phase, 513
- Virtual work, 460-461
- VSWR, 616-620
- Voltage, 86
 - nonuniqueness, 412
 - standing wave ratio, 616-620
- Volume charge distributions, 60
 - cylinder, 72-82
 - slab, 68-69
 - sphere, 79-80
- Von Hippel, A. R., 147
- Water, light propagation in, 548-549
- Watson, P. K., 201
- Wave:
 - backward, 651
 - dispersive, 512-514
 - equation, 496-497
 - high frequency, 511-512
 - nondispersive, 503
 - plane, 496-497
 - properties, 499-500
 - radiating, 666-667
 - solutions, 497-499
 - sources, 500-503
 - standing, 521-522
 - transmission line, 578-579
 - traveling, 499-500
- Waveguide:
 - dielectric, 644-648
 - equations, 630
 - power flow, 641-644
 - rectangular, 629-644
 - TE modes, 635-638
 - TM modes, 631-635
 - wall losses, 643-644
- Wave impedance, 498
- Wavelength, 506
- Wavenumber, 505-506
 - on lossy transmission line, 604
 - as vector, 530
- Wheelon, A. D., 181
- Whipple, F. J. W., 293
- White, H. J., 293
- White light, 563
- Wimshurst machine, 227
- Woodson, H. H., 420, 435
- Work:
 - to assemble charge distribution, 204-208
 - and dot product, 11
 - mechanical, 453
 - to move point charge, 84-85
 - to overcome electromagnetic forces, 452
- Zeeman effect, 378
- Zero potential reference, 87

MIT OpenCourseWare
<http://ocw.mit.edu>

Resource: [Ò^&d\[{ æ } ^æ/Ça|áÁ@\[!^ KÇÁ!| à^ { Á| |çã * ÁÇ \] | \[æ&@](#)
T æ \ ^ • Çæ@

The following may not correspond to a particular course on MIT OpenCourseWare, but has been provided by the author as an individual learning resource.

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.